



- This drawing has been prepared to cover matters which are the requirements of the Company listed below and do not constitute a full specification of the work.
- All dimensions, details, components, and assemblies are to be verified by the Contractor PRIOR to construction, manufacture or supply.
- Any conflicting information, errors or omissions shown or implied on this drawing shall be referred to the Contractor PRIOR to construction or ordering of materials.
- Do not scale this drawing.
- This drawing is the Copyright of Joinery Cad Solutions Ltd and may not be copied in part or whole without written permission.

REVISIONS:

02.08.2017	FIRST ISSUE FOR APPROVAL
22.08.2017	MID RAIL ADDED

- SPECIFICATIONS:
- MATERIAL:
- HARDWOOD FRAME & LEAF SECTIONS THROUGHOUT
 - PLY PANELS WITH INSULATED CORE
 - PLY PANEL UNDER CILL
 - HARDWOOD BOLECTION MOULDING FROM WRP MOULDINGS REF: B711
- GLASS:
- 4, 16, 4 CLEAR TOUGHENED DG UNIT
 - BLACK WARM EDGE SPACER
 - ARGON GAS FILLED
 - DIRECT GLAZED FANLIGHT INTERNALLY BEADED
- HARDWARE:
- HARDWARE TBC
 - AQUAMAC 63 WHITE WEATHERSEALS
 - WHITE PEA READ WEATHERSEAL
 - WATERBAR
- FINISH:
- FULL FACTORY PAINT FINISHED WHITE
- NOTES:
- CLIENT TO CONFIRM DESIGN PRIOR TO MANUFACTURE
 - ARCH TO BE SITE TEMPLATED

5.5 Hours To Complete

SAMPLE

CLIENT	----
PROJECT	----
TITLE	ENTRANCE DOOR CONSTRUCTION DETAILS
ISSUE	CLIENT APPROVAL
JOB No	----
DRAWING No	----/003
CUT LIST No	
SCALE	1:1, 1:10 @ A1
DRAWN BY	JCS
CHECKED BY	REV